

Waverley

n5Plus

WAVERLEY
THE SHADING EXPERTS



ShadeTech® RBL/RBXL Roller Blind Systems

By Waverley

Detailed description

Manufactured from robust well-proven hardware components and flame retardant fabrics from the ShadeTech portfolio they provide effective control of light, heat and glare in every situation. The hardware system comprises elegant powder-coated aluminium brackets, high quality plastic components for quiet smooth operation, and heavy gauge extruded aluminium rollers, with a choice of hem bar finishes. ShadeTech® roller blinds can be manually operated, with a side chain control or through a gearbox and crank handle, or motorized. Link brackets enable multiple blinds to be coupled together for control by a single chain, crank or motor offer real possibilities for cost savings and greatly simplify operation. Linked blinds can either be in line, or angled at up to 90° – ideal for radiused curtain walling. Compact combination brackets mean that two blinds can cover the same window – usually a screen fabric for glare control, and an opaque fabric for dim out. Robust booster springs can treble the capacity of a chain control system, so that very large blinds can be raised with a very light touch.

Features/ Benefits:

- Peace of mind - five year hardware warranty and minimal maintenance.
- Flexibility - ShadeTech® roller blinds can be configured to best advantage, with scope for cost savings.
- Easy to use - fingertip control of very large blinds with booster spring option.
- Crank and motorization options.
- A huge range of ShadeTech branded or proprietary fabric colours, textures, and densities to suit every environment, for shading or for room darkening.

Manufactured and installed in accordance with a quality system certified under BS EN ISO 9001: 2008.

Options

Size (w x drop):

- RBL-C: 5000 x 4000 mm.
- RBL-E: 5000 x 4000 mm.
- RBL-G, RBXL-E and RBXL-G: 5000 x 10 000 mm.
- RBL-S: 4000 x 3000 mm.
- RBXL-C: 5000 x 6000 mm.

Fascia's:

Fascia's and cassette head boxes are available to allow blinds to blend seamlessly with the building structure. Contact manufacturer for further details.

Fixing:

Can be ceiling (top), recess or wall (face) fixed.

Product specification

Manufacturer

- Name: Waverley
- Web: www.waverley.co.uk
- Email: sales@waverley.co.uk
- Tel: +44 (0)1252 737973
- Fax: +44 (0)1252 730771
- Address: Rowan House, Guildford Road Trading Estate, Farnham, Surrey GU9 9PZ

Product reference ShadeTech® Roller Blind Systems RBL-C - 40/ 45 mm diameter roller, manual chain operation.
ShadeTech® Roller Blind Systems RBL-E - 40/ 45 mm diameter roller, motorized operation.
ShadeTech® Roller Blind Systems RBL-G - 40/ 45 mm diameter roller, manual crank operation.
ShadeTech® Roller Blind Systems RBL-S - 40/ 45 mm diameter roller, manual spring loaded operation.
ShadeTech® Roller Blind Systems RBXL-C - 60/ 80 mm diameter roller, manual chain operation.
ShadeTech® Roller Blind Systems RBXL-E - 60/ 80 mm diameter roller, motorized operation.
ShadeTech® Roller Blind Systems RBXL-G - 60/ 80 mm diameter roller, manual crank operation.

Fabric [_____]

Size (w x drop) [_____]

Type/ colour [_____]

Size (w x drop) [_____]

Type/ colour [_____]

Roller size (diameter) 40 mm - For RBL models.
45 mm - For RBL models.
60 mm - For RBXL models.
80 mm - For RBXL models.

Operation Manual, metal bead chain - For RBL-C and RBXL-C.
Manual, white nylon chain - RBL-C and RBXL-C.
Manual, detachable crank handle - For RBL-G and RBXL-G.
Manual, fixed crank handle - For RBL-G and RBXL-G.
Manual, spring loaded - For RBL-S.
Motorized, hard wired motor - For RBL-E and RBXL-E
Motorized, light sensor controlled motor - For RBL-E and RBXL-E.
Motorized, radio remote switching motor - For RBL-E and RBXL-E.

End set	Black White
Bracket covers	Black White
Bottom hem bar	Aluminium profile, round Aluminium profile, teardrop - Available in black, silver anodized or white, not available with RBL-S. Aluminium profile, rectangular - Available in black, silver anodized or white, not available with RBL-S. Aluminium profile, fabric enclosed - Available in black, silver anodized or white, not available with RBL-S.
Accessories	[None] [Angled brackets] - To connect multiple blinds for operation by a single chain or motor at angles up to 90°, not available with RBL-S. [Bottom bar handle, pull cord] - For RBL-S only [Bottom bar handle, round] - For RBL-S only. [Cassette, round] - Not available with RBL-G or RBXL-G. [Cassette, square] - Not available with RBL-S. [Ceiling pocket] - 115 x 115 mm. [Chain retainer] - For RBL-C and RBXL-C only. [Combination brackets] - To enable two blinds to cover the same window, for RBL-C, RBL-E, RBXL-C and RBXL-E only. [Fascia] [In-line brackets] - To connect multiple blinds for operation by a single chain or motor in line, not available with RBL-S. [Mounting rails] - 52 x 10 mm, for use when fixing to plasterboard or weak substrates, for RBL models only. [Side guide wires] - To prevent fabric movement, not available with RBL-S.